CABINET MAKING ACCESSORIES

Eccentric connector FixoGRASS 9200




- For connecting side walls with worktops, base panels or shelves
- Small but sturdy connection fitting
- A range of steel bolts for different application options
- Easy to fit
- Eccentric installation with SW5 Allen key

ORDER INFORMATION

Designation			Material	Artno.
Eccentric for board thickness 14 - 16 mm			Zamak,	F148043000
Eccentric for board thickness 17 - 20 mm			nickel-	F148043007
Eccentric for board thickness 21 - 23 mm			plated	F148043015
Corner bolt for fixing with Euro thread Ø 6 mm		D STO BI	Steel, zink-plated	F148044883
Corner bolt for fixing with dowel Ø 8 mm/M5	a to	08/1281	Steel, zink-plated	F148044748
Dowel Ø 8 mm/M5			Plastic, white	F071085142
Corner bolt for fixing with dowel Ø 10 mm/M6		0 10/12 BI	Steel, zink-plated	F148043024
Dowel Ø 10 mm/M6			Plastic, white	F145083050
Twin bolts for fitting in Ø 5 mm holes,		BOLH BOLH BOLS BOLS CC	Steel, zink-plated	F148044841
Twin bolts for fitting in Ø 5 mm holes				F148044842

INSTALLATION INFORMATION

All dimensions in millimetres



LEGEND

BOLH	Bolt sleeve
BOLS	Bolt screw
BS	Shelf thickness
BT	Drilling depth

Kilopond Newton

Cabinet making accessories